Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



PLANTS COLLECTED AND FOR SALE

By F. M. CRAYTON & SONS BILTMORE, N. C., U.S.A. BOX 393

					ş f							
EVERGREEN TI	REES	AND SH	RUBS	*	HERBACEOUS PERE	NNTAI	r.g			Per 100	Per 500	Per 1000
		Per 100		Per 1000	(All Strong Plants		ui3		Aconitum reclinatum		\$ 8.00	\$ 10.00
Abies Frasherii	6-12 in.	. \$ 5.00	\$ 20.00	\$ 35.00		Per 100	Per 500		" uncinatum		8.00	10.00
Pieris floribunda (Andromeda floribunda)	1-2 ft.	100.00	400.00	700.00	Actea alba	2.00 2.00	8.00 8.00	10.00	Opuntia vulgarisOronticum aquaticum		10.00	15.00 15.00
Gordonia lasianthus	1-3 ft.	25.00	100.00	175.00	Aletris farinosa	2.00	8.00	10.00	Pachysandra prucumbens	_ 3.00	10.00	15.00
Ilex glabra	1-1½ ft		40.00	75.00	Allium cernum	2.00	8.00	10.00	" terminalis Panax quinquifolia (Ginseng)		10.00 15.00	15.00 20.00
" opacaKalmia angustifolia		15.00 8.00	50.00 30.00	90.00 50.00	Amianthium muscotoxicum Amsonis taber-montanum	2.00 2.00	8.00 8.00	10.00 10.00	Phlox amoena		8.00	10.00
" Cuniata	1-2 ft.	25.00	100.00	175.00	Anemona canadensis	2.00	8.00	10.00	" glaberrima	_ 2.00	8.00	10.00
" latifolia		10.00 35.00	40.00 150.00	75.00	" virginianaAngelica curtisii	2.00 2.00	8.00 8.00	10.00 10.00			8.00 4.00	1 0.00 6 .00
Leophylum buxifolia		15.00	50.00		Apocynum androsemifolus	2.00	8.00	10.00	" 1		8.00	10.00
Leucothœ catesbæii		15.00	50.00	90.00	Aqulegia canadensis	2.00	8.00	10.00			8.00	15.00 10.00
Magnolia glauca		35.00 20.00	150.00 75.00	125.00	Aralia nudicalis	2.00	8.00 8.00	10.00 10.00	Polygala senaga		8.00	15.00
Pachystima canbyii		15.00	50.00	90.00	Ariasæma triphyllum	2.00	8.00	10.00	Pontederia cordata	_ 3.00	10.00	15.00
Picea rubra		10.00	40.00	75.00	Aristolochis serpentaria	2.00	8.00	10.00	TO 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		10.00	15.00 10.0
Rhododendron Caroliner	$\frac{7}{2}$ -1 It. $\frac{1}{2}$ -3 ft	15.00	50.00 200.00	90.00 375.00	Aruncus aruncus (Aruncus decandra) Asarum arifolia	2.00 2.00	8.00 8.00	10.00 10.00	" laciniata		8.00	10.0
" catabensis	$\frac{1}{2}$ -1 ft.	20.00	75.00	175.00	" canadensis	2.00	8.00	10.00	" triloba		8.00	10.00
" maximum	½~1 ft. 1-2 ft.	15.00 30.00	50.00 140.00	90.00 275.00	" virginicumAsclepias incarnatum	2.00 2.00	8.00 8.00	10.00 10.00	Sagittaria latifoliaSanguinaria canadensis		8.00	10.00 10.00
	2-4 ft.	40.00	190.00	375.00	" quinquifolia	2.00	8.00	15.00	Srracenia flava	_ 2.00	8.00	15.00
Tsuga caroliner		10.00	40.00	75.00	" tuberosa	2.00	8.00	15.00			8.00 8.00	10.00 10.00
" canadensis		15.00 10.00	50.00 40.00	90.00 75.00	Aster concolor	2.00 2.00	8.00 8.00	10.00 10.00			8.00	10.00
DECIDUS TRE				75.00	" gracilis	2.00	8.00	10.00	" cordifolia		8.00	10.00
		Per 100		Per 1000	" macrophylla	2.00	8.00	10.00			8.00 15.00	10.00 25.00
Acer rubra	1-3 ft.	\$ 2.00	\$ 8.00	\$ 10.00	" novæ-angliea punicea	2.00 2.00	8.00 8.00	10.00 10.00	" pulchellum	_ 3.00	10.00	15.00
Alnus rugosa		2.00	8.00	10.00	Asilbe decandra	2.00	8.00	10.00	" telephoides		8.00	10.00
Ameiancher botyrapium		3.00 3.00	10.00 10.00	15.00 15.00	Baptisia tinctoriaCalthia palustris	2.00 3.00	8.00 10.00	10.00 15.00	" ternatum Shortia galicifolia		8.00 15.00	10.00 25.00
Azalea arborescens	1-3 ft.	10.00	40.00	75.00	Campanula divaricata	2.00	8.00	10.00	Silene stellata	_ 2.00	8.00	15.00
" canescens		10.00	40.00	75.00	" rotundifolia	2.00	8.00	10.00	" virginica		8.00 8.00	10.00 10.00
" lutea " nudiflora		10.00 10.00	40.00 40.00	75.00	Carex frasheriiCassia marylandica	3.00 2.00	12.00 8.00	20.00 10.00	Smilacena racemosaSolidago cordat		8.00	10.00
" vaseyii	1-2 ft.	10.00	40.00	75.00	Caulophyllum thalictroides	2.00	8.00	15.00	" curtsii	_ 2.00	8.00	10.00
" viscosaBetula linta		10.00 2.00	40.00 8.00	75.00	Chamelirium leutum	2.00	8.00	10.00	odorus		8.00 8.00	10.00 10.00
" lutea		2.00	8.00	10.00	Chelonia glabralyonii	2.00	8.00 8.00	10.00 10.00	" serotina		8.00	10.00
" nigra	1-3 ft.	2.00	8.00	10.00	Chrysogonum virginicum	2.00	8.00	15.00	Spigelia marilandca	_ 3.00	10.00	15.00
Bignonia crucigera Ceanothus americana		5.00 2.00	20.00 8.00	35.00 15.00	Cimicifuga canadensis	2.00	8.00	15.00	Steironema ciliataStenanthum robusta		8.00 10.00	10.00 15.00
Comptonia peregrina		3.00	12.00	20.00	" racemosaClaytonia virginica	2.00 2.00	8.00 8.00	10.00 15.00	Tephrosa virginiana		8.00	10.00
Cornus florida		3.00	12.00	20.00	Clintonia borealis	2.00	8.00	10.00	Thalictrum purpurescens	_ 2.00	8.00	15.00
" paniculataCorylus americana		3.00 2.00	12.00 8.00	20.00 15.00	Collinsonia canadensis	2.00	8.00	10.00	Thermopsis caroliniana		8.00 8.00	15.00 15.00
" rostrata		2.00	8.00		Coreopsis arculata	2.00 2.00	8.00 8.00	10.00 10.00	Tiorilla cordifolia		8.00	15.00
Euonymus Americana		2.00	8.00	10.00	" grandiflora	2.00	8.00	10.00	Tradescantia montana		8.00	10.00
Fothergilla caroliner		5.00 5.00	20.00	35.00	" integrifolia Cypripedum acaulis	2.00 2.00	8.00	10.00	" virginiana		8.00 8.00	10.00 15.00
Gaylussacia dumosa	1-2 ft.	2.00	8.00	10.00	" parviflorium	2.00	8.00 8.00	15.00 15.00	" grandiflora	_ 2.00	8.00	15.00
" resinosa		2.00	8.00	10.00	Dicentra cucularia	2.00	8.00	15.00	" leuteum		8.00	15.00
Gelsemium sempervirens Hussonia montana (very rare)		5.00 25.00	20.00	35.00 175.00	" exemiaEpigæa repens	2.00	8.00 8.00	15.00 15.00	Sessile	_ 2.00 _ 2.00	8.00	10.00 10.00
Hydranger arborescens	1-2 ft.	2.00	8.00	15.00	Equisetum hyemæle	2.00	8.00	10.00	Ulmaria rubra	_ 2.00	8.00	10.00
" quercifolia		5.00	20.00	40.00	Ervngum vuccifolia	2.00	8.00	10.00			8.00 8.00	10.00 10.00
" radiata Hypericum densiflora	1-2 ft. 1-2 ft.	2.00	8.00	10.00	Eupatorium celestinum	2.00 2.00	8.00 8.00	10.00 10.00	66		8.00	
" buckleyii	½-1 ft.	3.00	12.00	20.00	Euphorbia corulata	2.00	8.00	10.00	Vernonia noveborænsis		8.00	10.00
" lobocarpon " nudiflora		2.00 2.00	8.00 8.00	10.00	Galax aphylla	2.00	8.00	10.00	Veronica officinalis		8.00 8.00	
" prolificum	1-2 ft.	2.00	8.00	10.00	Gaultheria prucumbens Geranium maculatum	2.00 2.00	8.00 8.00	10.00 10.00	Vinca minor	_ 2.00	8.00	10.00
Lirodendron tulipfera	1-2 ft.	2.00	8.00	10.00	Helenium autumnale	2.00	8.00	10.00	Viola canadensis		8.00	
Menziesia pilosa Myrica carolinensis		5.00 3.00	15.00 12.00	20.00	Helianthus angustifolia	2.00	8.00	10.00			8.00 4.00	
" pumila	1-2 ft.	3.00	12.00	20.00	" atrubens dowellianus	2.00 2.00	8.00 8.00	10.00 10.00	66 _4 :- 4 -		8.00	
Oxydendron arborea	1-2 ft.	2.00	8.00	10.00	" longifolius	2.00	8.00	15.00	VINES			
Platanus occidentalis		3.00 2.00	12.00	20.00 10.00	" molis	2.00	8.00 8.00	10.00 10.00			Per 500	
Rhus copolina	1-3 ft.	2.00	8.00	10.00	Helonias bullata	2.00	8.00	10.00	Ampelopsis quinquifolia		\$ 8.00 10.00	
" glabra	1-3 ft.	2.00	8.00	10.00	Hemrocallis dumortierii	2.00	8.00	15.00	VIOTIIA	_ 2.00	8.00	
" hirta " pumila (Michuxi)	1-2 It. 1-3 ft.	2.00 5.00	8.00 20.00	10.00 35.00	" fulva " thumbergii	2.00 2.00	8.00 8.00	10.00 10.00	" virginianum	2.00	8.00	10.00
Robinia hispida	1-2 ft.	2.00	8.00	15.00	Hepatica acutiloba	2.00	8.00	10.00	Decumaria barbara Gelsemium sempervirens		10.00	
r viscosa Rosa caroliner		3.00 2.00	10.00	20.00	Heuchera americana	2.00	8.00	10.00	Lonicera flava		10.00	
" humilis	1-2 ft.	2.00	8.00 8.00	10.00 10.00	" villosa Hydrophyllum macrophylum	2.00	8.00 8.00	10.00 10.00	" sempervirens	3.00	10.00	
Rubus hispida	strong	2.00	8.00	10.00	Ipomiæ pondeirata	2.00	8.00	10.00	Passiflora incarnatumSmilax hispida	3.00 2.00	10.00 8.00	
" occidentalis " odorata	strong	2.00	8.00 8.00	10.00 10.00	Iris crustata	2.00	8.00 8.00	10.00 10.00	" laurifolia		10.00	
Salix humilis	1-3 ft.	2.00	8.00	10.00	" versicolor	2.00	8.00	10.00				
" tristis		2.00	8.00	10.00	Liatris pycnastaya	3.00	10.00	15.00			Per 500	
Sanbucus canadensis		2.00 5.00	8.00 20.00	15.00 35.00	" scariosa	3.00	10.00 10.00		Adiantum pedatum (strong)		\$ 8.00 8.00	
Spiræa salicifolia	1-3 ft.	2.00	8.00	15.00	Lilium carolinianum	4.00	15.00	25.00	" palmatum	2.00	8.00	15.00
" tomentosa Stuartia Pentygima	1-3 ft.	2.00	8.00	10.00	" grayii	6.00	20.00	35.00	" platynura	2.00	8.00	
" virginica	1-3 ft.	5.00 5.00	20.00	35.00 35.00	" superbum Lobelia cardinalis	4.00 2.00	15.00 8.00		Comptosorum Rhizophyllus Dicksonia punctiloba		8.00 8.00	
Vaccinum erythrocarpon	1-2 ft.	3.00	10.00	15.00	Lysmmachia fraserii	2.00	8.00		Dryopteris marginalis	2.00	8.00	10.00
" corymbosum		3.00	10.00	15.00	" nummularis	2.00	8.00	15.00	" spinulosa	2.00	8.00	
" staminum	1-2 ft.	3.00 2.00	10.00 8.00	15.00 10.00	Marshallia grandiflora Medeola virginica	3.00 2.00	10.00	15.00	Ligodum palmatumOnoclea sensiblia	3.00 2.00		
Viburnum cassonides	1-3 ft.	2.00	8.00	15.00	Mintha piperita	2.00	8.00	10.00	Osmonda cinimomea	2.00	8.00	10.00
" dentatum " nudum	1-3 ft.	2.00	8.00	15.00		2.00	8.00	10.00	" claytoniana	2.00		
" prunifolia	1-2 ft.	2.00 2.00	8.00 8.00		Mertensia virginica	2.00	8.00 8.00	15.00 15.00	" regalisPolypodum vulgaris			
" "	2-4 ft.	3.00	10.00	20.00	" fistulosa	2.00	8.00	10.00	Polystichum acrustichoides	2.00	8.00	10.00
Xanthorrhiza apifolia Xolisma ligustrina	1-2 ft.	2.00	8.00		Mysotis palustris	1.00	4.00		Peteris aqulina			
atomorna ngustima	1-3 It.	2.00	8.60	10.00	Nymphæa advena	2.00	8.00	15.00	Woodsia obtusa	2.00	8.00	10.00

